

SORRENTO PIPELINE COMPANY, LLC


PROPOSED PROTECTION FOR
EXISTING 8" AND 12" PRODUCTS PIPELINES
IN SECTIONS 5 AND 8, T10S-R8E
ST. MARTIN PARISH, LOUISIANA
PIPELINE AND BANK STABILIZATION PROJECT





Morris P. Hebert, Inc. surveying • engineering • environmental services

P.O. BOX 3106 * HOUMA, LOUISIANA 70361-3106 * (504) 879-2731

DRAWN BY: AFG		SHEET:	1
CHECKED BY:	MPD	SCALE:	1" = 2000'
APPROVED BY: [DEC	DATE:	1/16/04
MPH CAD FILE: 7	7680C0E0001A1		









Morris P. Hebert, Inc.

SURVEYING • ENCINEERING • ENVIRONMENTAL SERVICES
P.O. BOX 3106 • HOUMA, LOUISIANA 70361-3106 • (985) 679-2731

DRAWN BY:	AFG/DSG	SHEET:	4	
CHECKED BY:	MPD	SCALE:	AS SHOWN	
APPROVED BY:	DEC	DATE:	1/16/04	
CAD FILE: 768	30C0E0004A	3		



0+00 0+10 0+20 0+30 0+40 0+50 0+60 0+70 0+80 0+80 0+95



CROSS SECTION 2 (EROSION AREA)

HOR. SCALE 1"=30' VER. SCALE 1"=25'

3 6/25/2007 | NO. DATE | REVISION


SORRENTO PIPELINE COMPANY, LLC

SCOUR AREA - DETAILS



P.O. BOX 3106 * HOUMA, LOUISIANA 70361-3106 * (985) 879-2731

DRAWN BY:	DSG	SHEET:	<u> </u>
CHECKED BY:	MPD	SCALE:	AS SHOWN
APPROVED BY:	DEC	DATE:	1/16/04
CAD FILE: 7680C0E0005A0			



CONCRETE MATTRESS-TYPICAL

DATE REVISION NO.

SORRENTO PIPELINE COMPANY, LLC

CONCRETE MATTRESS DETAIL

Morris P. Hebert, Inc. SURVEYING • ENCINEERING • ENVIRONMENTAL SERVICES

P.O. BOX 3106 * HOUMA, LOUISIANA 70361-3106 * (985) 879-2731

_				
	DRAWN BY:	AFG	SHEET:	6_
	CHECKED BY:	MPD	SCALE:	AS SHOWN
	APPROVED BY:	DEC	DATE:	1/16/04
	CAD FILE: 768	OCOE0006A	0	

SCOPE OF WORK

- 1. COATING OF EXISTING 8" PIPELINE TO BE EXAMINED BY DIVERS.
- COATING TO BE REPAIRED AS NECESSARY, EITHER IN WET OR DRY ENVIRONMENT.
- APPROXIMATELY 500 CUBIC YARDS OF MATERIAL WILL BE DISPLACED DURING JETTING OPERATIONS.
- 4. EXISTING 8" PIPELINE WILL BE JETTED TO A MINIMUM DEPTH OF 3' IN ORDER TO PROVIDE ADEQUATE COVERAGE.
- SPOIL BANK TO BE REPAIRED AND THEN PROTECTED WITH CONCRETE MATS OR SOME OTHER TYPE OF EROSION CONTROL PRODUCTS ALONG SOUTHERN BANKLINE. A TOTAL OF 3200 LF (400 MATS) OF BANK TO BE MATTED.
- APPROXIMATELY 4000 CUBIC YARDS OF MATERIAL TO BE REMOVED FROM FLOTATION CANAL OR SPOIL BANK FOR THE REPAIR OF THE BANKLINE.
- 7. APPROXIMATELY 600 CUBIC YARDS OF IMPORTED SAND FILL WILL BE PLACED IN SCOUR AREA AND OVERLAIN WITH 15 CONCRETE MATS.

NOTES

 IN ORDER TO ENSURE THE SAFETY OF ALL PARTIES, THE PERMITTEE'S CONSTRUCTION CONTRACTOR SHALL CONTACT THE LOUISIANA ONE—CALL SYSTEM (1-800-272-3020) A MINIMUM OF 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION (DIGGING, DREDGING, JETTING, ETC.) OR DEMOLITION ACTIVITY.

3	6/22/2007	
NO.	DATE	REVISION

SORRENTO PIPELINE COMPANY, LLC

SCOPE OF WORK & NOTES

mph (•
Morris P. Hebert,	Inc.
SURVEYING • ENGINEERING • ENVIRONMENTAL S	SERVICES
P.O. BOX 3106 . HOUMA, LOUISIANA 70361-3106 . (985)	879-2731

DRAWN BY:	AFG/DSG	SHEET:	7	
CHECKED BY:	MPD	SCALE:	AS SHOWN	_
APPROVED BY:	DEC	DATE:	1/16/04	
CAD FILE: 768	OCOE0007A	2		